

# Kalman Filtering and Recurrent Neural Networks for Fuel Moisture

Jan Mandel, University of Colorado Denver

## Abstract

"Fuel moisture is an important factor of the spread of wildland fires. Some weather stations have fuel moisture sensors and data are available online. We review a simple model of fuel moisture from atmospheric conditions, and show how to adjust the model using the weather station data.

## Table of contents

1 Introduction

2 Background

2.1 Imports

2.2 Kalman filter

2.2.1 Overview

2.2.2 Formulation

Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

2.3 Fuel moisture model

2.3.1 A simple time lag model

2.3.1 Fuel moisture model with drying equilibrium, wetting equilibrium, and rain

3 Methods

3.1 Kalman filter demonstration on the simple model

3.1.1 Creating synthetic data

3.1.2 Running the Kalman filter

3.2 Acquisition and preprocessing of real data

3.2.1 Acquisition of fuel moisture observations

3.2.2 Acquisition of weather data

3.2.3 Preprocessing and visualization of the weather data

4 Results

4.1 Kalman filter with fuel moisture observations, followed by forecasting

4.2 Model with an augmented state

4.3 Kalman filter on the augmented model

4.4 A comment on the information flow in the Kalman filter and in neural networks

5. Conclusion

Contributions of Authors

Acknowledgements

References

## ▼ 1 Introduction

The Kalman filter is at the foundation of many technologies in daily use, from GPS to weather forecasting. No model is completely accurate. Think space navigation: the movement of a Apollo 13 between the moon and the earth, subject to gravitational forces and propulsion, with the position ascertained by visual measurements. No matter how accurate the model of spacecraft motion is, the measurements are always burdened with noise. The idea of Kalman filter is to evolve a quantification of the of the state (here, positin and velocity of the spacecraft) in the form of a

Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

[diff](#)

state to split the

Here, we use the Kalman filter to estimate the evolution of fuel (dead wood) moisture content from a simple theoretical model, adjusting the state of the model hourly for measurements from fuel moisture a sensor in a wood stick exposed to the elements. This is needed for forecasting of wildfire progress; for this purpose, we also want to have the filter adjust the model from the data, so that it gives more accurate data for future when we only have hourly weather forecast but no actual data - because the future has not happened yet.

## ▼ 2 Background

In this section, we take care of preliminaries: we install some packages we need, and then proceed with the Kalman filter.

## ▼ 2.1 Imports

We may need the pygrib package to read weather data, but pygrib requires current numpy while google colab is using an old numpy version for compatibility with tensorflow. We will upgrade numpy and restart the runtime then the notebook will need to be run again. If numpy is current, we just download and import packages we need.

## ▼ 2.2 Kalman filter

### ▼ 2.2.1 Overview

The Kalman filter provides an estimate  $u$  of the time evolution of some unknown process, called "nature" or "truth". We do not know with certainty what the nature is, but we can observe it at regular intervals (steps) with some error. In each step, model  $F$  advances the model state  $u$  in time,  $u \leftarrow F(u)$ , and attempts to reconcile the state with an observation  $d$  of the true state, so  $u \approx d$ . The filter modifies the model state  $u$  to balance the uncertainty in the model and the data (this is called *analysis*) and the cycle continues. For that purpose, the filter evolves also an estimate of the uncertainty of the model.

More generally, instead of  $u \approx d$ , only a part of the state is observed, and  $Hu \approx d$  where  $H$  is a

Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

el was

See Kalman (1960) for the original publication, Kalnay (2003) for a gentle introduction, and the [Wikipedia article](#).

### ▼ 2.2.2 Formulation

---

We present the Kalman filter in perhaps the most used form, as extended to nonlinear models. Consider a discrete time model of some natural process. At time step  $k$ , the model has state  $u_k \in \mathbb{R}^n$ , which can be approximated from the previous step  $u_{k-1}$  by applying the model  $\mathcal{M}$  to get a forecast  $u_k^f = \mathcal{M}(u_{k-1})$ . We model uncertainty in the model itself by adding normally

distributed noise with mean zero and covariance  $Q$  to the uncertainty of  $u_k^f$ . We also need to estimate now the uncertainty in the previous state  $u_{k-1}$  propagates to the uncertainty of the forecast  $u_k^f$ . So, assume that the model is differentiable and quantify the uncertainty of the state by a covariance matrix. That is, assume that at step  $k - 1$ , the state has (approximately) normal distribution with mean  $u_{k-1}$  and covariance  $P_{k-1}$ . Using the Taylor expansion of order 1 of the model operator at  $u_{k-1}$ ,  $\mathcal{M}(u) \approx \mathcal{M}(u_{k-1}) + \mathcal{M}'(u_{k-1})(u - u_{k-1})$ , where  $\mathcal{M}'(u_{k-1})$  is the Jacobian matrix of  $\mathcal{M}$  at  $u_{k-1}$ . It can be shown that the forecast has then (approximately) normal distribution with mean and covariance

$$u_k^f = \mathcal{M}(u_{k-1}), \quad P_k^f = \mathcal{M}(u_{k-1}) P_{k-1} \mathcal{M}'(u_{k-1}) + Q$$

At time  $k$ , we also have an observation  $d_k \approx H u_k$ , where  $H$  is a given observation operator, and we want to find  $u_k$  so that both

$$u_k \approx u_k^f \text{ and } d_k \approx H u_k.$$

We quantify the uncertainty of the error of observation  $d_k$  by a covariance matrix  $R$ : assume that the observation error has normal probability distribution with a known covariance  $R$ . Then, the likelihood of state  $u$  is proportional to  $e^{-\|d_k - H u\|_{R^{-1}}^2 / 2}$ , where we used the notation for the norm  $\|v\|_A = (v^\top A v)^{1/2}$  induced by a positive definite matrix  $A$ . Similarly, we quantify the uncertainty of the state by a covariance matrix  $P_k$ . That is, the forecast state has (approximately) normal distribution with mean  $u_k^f$  and covariance  $P_k^f$ . From the Bayes theorem of statistics, the probability distribution of the state after taking the data into account has density

$$p_k(u) \propto e^{-\frac{\|d_k - H u\|_{R^{-1}}^2}{2}} e^{-\frac{\|u - u_k^f\|_{P_k^f}^2}{2}}$$

where  $\propto$  means proportional. Note that the probability density at  $u$  is maximal when  $\|d_k - H u\|_{R^{-1}}^2 + \|u - u_k^f\|_{P_k^f}^2$  is minimal, which quantifies the statement that  $d_k \approx H u_k$  and  $u \approx u_k^f$ . By a direct computation completing the square and using the Sherman-Morrison-

Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

$$p_k(u) \propto e^{-\frac{\|u - u_k^f\|_{P_k^f}^2}{2}},$$

which is the density of the normal distribution with the mean

$$u_k^f = u_k^f + K_k(d - H u_k^f), \text{ where } K_k = P_k^f H^\top (H P_k^f H^\top + R)^{-1}$$

and covariance

$$P_k = \left( (P_k^f)^{-1} + H^\top R^{-1} H \right)^{-1} = (I - K H) P_k^f.$$

These are the equations of the extended Kalman filter. The original Kalman (1960) filter was formulated for a linear process. The extension to the nonlinear case made broad array of applications possible, including the Apollo spacecraft navigation (McGee and Schmidt, 1966), and is still a de-facto standard in navigation and GPS.

```

import numpy as np
def ext_kf(u,P,F,Q=0,d=None,H=None,R=None):
    """
    One step of the extended Kalman filter.
    If there is no data, only advance in time.
    :param u: the state vector, shape n
    :param P: the state covariance, shape (n,n)
    :param F: the model function, args vector u, returns F(u) and Jacobian J(u)
    :param Q: the process model noise covariance, shape (n,n)
    :param d: data vector, shape (m). If none, only advance in time
    :param H: observation matrix, shape (m,n)
    :param R: data error covariance, shape (n,n)
    :return ua: the analysis state vector, shape (n)
    :return Pa: the analysis covariance matrix, shape (n,n)
    """
    def d2(a):
        return np.atleast_2d(a) # convert to at least 2d array

    def d1(a):
        return np.atleast_1d(a) # convert to at least 1d array

    # forecast
    uf, J = F(u) # advance the model state in time and get the Jacobian
    uf = d1(uf) # if scalar, make state a 1D array
    J = d2(J) # if scalar, make jacobian a 2D array
    P = d2(P) # if scalar, make Jacobian as 2D array
    Pf = d2(J.T @ P) @ J + Q # advance the state covariance Pf = J' * P * J + Q
    # analysis
    if d is None or not d.size : # no data, no analysis
        return uf, Pf
    # K = P H' * inverse(H * P * H' + R) = (inverse(H * P * H' + R)*(H P))'
    H = d2(H)
    HP = d2(H @ P) # precompute a part used twice
    K = d2(np.linalg.solve(d2(HP @ H.T) + R, HP)).T # Kalman gain

    Automatic saving failed. This file was updated remotely or in another tab. Show
    diff
    res = d1(H @ d1(uf) - d) # res = H*uf - d
    ua = uf - K @ res # analysis mean uf - K*res
    Pa = Pf - K @ d2(H @ P) # analysis covariance
    return ua, d2(Pa)

```

### ▼ 2.2.3 A Kalman filter tester

It is a very good idea to make write a simple tester for every piece of code. How else would we know it actually works, and that something basic did not get broken inadvertently, perhaps as a side effect of changing something else? A simple tester may save a great deal of time trying to debug cryptic

errors later. And, what better place for a tester that right after the code it is testing so that it gets run every time?

```
# a basic ext_kf test
import numpy as np
u = [1,
     2]
P = [[2 , -1],
     [-1 , 2]]
A = [ [1 ,2],
     [3 ,4]]
u = np.array(u)
Q = np.array([[1,0],[0,1]])
A = np.array(A)
def fun(u):
    return A @ u, A
F = lambda u: fun(u)
H = [[1, 0],
     [0, 1]]
d = [2,
     3]
R = [[2, 0],
     [0, 2]]
H = np.array(H)
d = np.array(d)
R = np.array(R)
ua,Pa = ext_kf(u,P,F,Q)
print('ua=',ua)
print('Pa=',Pa)
ua,Pa = ext_kf(u,P,F,Q,d,H,R)
print('ua=',ua)
print('Pa=',Pa)
```

Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

[diff](#)

```
ua= [ 5 11]
Pa= [[15 18]
     [18 25]]
ua= [4.66666667 7.66666667]
Pa= [[13.93333333 18.73333333]
     [18.73333333 23.93333333]]
```

## ▼ 2.3 Fuel moisture models

### ▼ 2.3.1 A simple fuel moisture model

First consider a simplified fuel moisture model without considering the effect of rain. The evolution of fuel moisture content  $m(t)$  is modeled by the time-lag differential equation on interval  $[t_0, t_1]$ ,

$$\frac{dm}{dt} = \frac{E - m(t)}{T}, \quad m(t_0) = m_0.$$

where the initial fuel moisture content  $m_0 = m(t_0)$  is the input, and  $m_1 = m(t_1)$  is the output. Thus,  $m_1 = F(m_0)$ . The parameters of the model are the fuel moisture equilibrium  $E$ , assumed to be constant over the interval  $[t_0, t_1]$ , and the characteristic decay time  $T$ .

We can build the general model later by calling this simple model with different equilibria and time constants (drying, wetting, rain).

Since  $E$  is constant in time, the solution can be found analytically,

$$m(t) = E + (m_0 - E) e^{-t/T}$$

For convenience, we use  $T_1 = 1/T$  instead of  $T$ , and the model becomes

$$m_1 = E + (m_0 - E) e^{-(t_1 - t_0)T_1}$$

In the extended Kalman filter, we will need the partial derivatives of  $m_1$  with respect to the input and the parameters. Compute

$$\begin{aligned} \frac{dm_1}{dm_0} &= e^{-(t_1 - t_0)T_1} \\ \frac{dm_1}{dE} &= 1 - e^{-(t_1 - t_0)T_1} \\ \frac{dm_1}{dT_1} &= -(m_0 - E)(t_1 - t_0) e^{-(t_1 - t_0)T_1} \end{aligned}$$

At the moment, we need only  $dm_1/dm_0$  but we put in the code all partials for possible use in future.

```
import numpy as np
```

Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

```
diff
# m0          fuel moisture content at start dimensionless, unit (1)
# E           fuel moisture equilibrium (1)
# partials=0: return m1 = fuel moisture contents after time tlen (1)
#             =1: return m1, dm0/dm0
#             =2: return m1, dm1/dm0, dm1/dE
#             =3: return m1, dm1/dm0, dm1/dE dm1/dT1
# T1          1/T, where T is the time constant approaching the equilibrium
#             default 0.1/hour
# tlen        the time interval length, default 1 hour

exp_t = np.exp(-tlen*T1)          # compute this subexpression only once
m1 = E + (m0 - E)*exp_t          # the solution at end
if partials==0:
    return m1
dm1_dm0 = exp_t
```

```

if partials==1:
    return m1, dm1_dm0          # return value and Jacobian
dm1_dE = 1 - exp_t
if partials==2:
    return m1, dm1_dm0, dm1_dE
dm1_dT1 = -(m0 - E)*tlen*exp_t      # partial derivative dm1 / dT1
if partials==3:
    return m1, dm1_dm0, dm1_dE, dm1_dT1      # return value and all partial derivatives
raise('Bad arg partials')

```

### 2.3.2 Fuel moisture model with drying equilibrium, wetting equilibrium, and rain

Here is a little more realistic fuel moisture model from Mandel et al. (2004). A rain-wetting lag time  $t_r$  is reached for heavy rain only asymptotically, when the rain intensity  $r$  (mm/h) is large:

$$\frac{dm}{dt} = \frac{S - m}{t_r} \left( 1 - \exp\left(-\frac{r - r_0}{r_s}\right) \right), \text{ if } r > r_0,$$

where  $r_0$  is the threshold rain intensity below which no perceptible wetting occurs, and  $r_s$  is the saturation rain intensity. At the saturation rain intensity,  $1 - 1/e \approx 0.63$  of the maximal rain-wetting rate is achieved. For 10h fuel, the model takes  $S = 250\%$ ,  $t_r = 14\text{h}$ ,  $r_0 = 0.05\text{mm/h}$  and  $r_s = 8\text{mm/h}$ .

```
### Define model function with drying, wetting, and rain equilibria
```

```

# Parameters
r0 = 0.05          # threshold rainfall [mm/h]
rs = 8.0          # saturation rain intensity [mm/h]
Tr = 14.0         # time constant for rain wetting model [h]
S = 250          # saturation intensity [dimensionless]

```

Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

diff

```

# arguments:
# m0          starting fuel moistureb (%)
# Eqd         drying equilibrium      (%)
# Eqw         wetting equilibrium    (%)
# r           rain intensity          (mm/h)
# t           time
# partials = 0, 1, 2
# returns: same as model_decay
#   if partials==0: m1 = fuel moisture contents after time 1 hour
#   ==1: m1, dm1/dm0
#   ==2: m1, dm1/dm0, dm1/dE

if r > r0:
    # print('raining')

```



```

E = S
T1 = (1.0 - np.exp(- (r - r0) / rs)) / Tr
elif m0 <= Eqw:
    # print('wetting')
    E=Eqw
    T1 = 1.0/T
elif m0 >= Eqd:
    # print('drying')
    E=Eqd
    T1 = 1.0/T
else: # no change'
    E = m0
    T1=0.0
exp_t = np.exp(-tlen*T1)
m1 = E + (m0 - E)*exp_t
dm1_dm0 = exp_t
dm1_dE = 1 - exp_t
#if t>=933 and t < 940:
# print('t,Eqw,Eqd,r,T1,E,m0,m1,dm1_dm0,dm1_dE',
#       t,Eqw,Eqd,r,T1,E,m0,m1,dm1_dm0,dm1_dE)
if partials==0:
    return m1
if partials==1:
    return m1, dm1_dm0
if partials==2:
    return m1, dm1_dm0, dm1_dE
raise('bad partials')

```

## 3. Methods

### 3.1 Kalman filter demonstration on the simple model

Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

[diff](#)

The model is solving the differential equation for one hour. The equilibrium  $E$  is constant during the hour, but it changes over the day so that it is higher at night and lower during the day, with a 24-hour period. First, we create the "truth" by choosing the equilibrium  $E$  and solving the differential equation every hour, with a small additive noise. The synthetic data is obtained as the values of the "truth", with random noise to simulate observation error.

#### 3.1.1 Creating synthetic data

```

def create_synthetic_data(days=20,power=4,data_noise=0.02,process_noise=0.0,DeltaE=0.0)
    import numpy as np, random
    hours = days*24
    h2 = int(hours/2)
    hour = np.array(range(hours))
    day = np.array(range(hours))/24.

    # artificial equilibrium data
    E = np.power(np.sin(np.pi*day),4) # diurnal curve
    E = 0.05+0.25*E
    # FMC free run
    m_f = np.zeros(hours)
    m_f[0] = 0.1 # initial FMC
    process_noise=0.
    for t in range(hours-1):
        m_f[t+1] = max(0.,model_decay(m_f[t],E[t]) + random.gauss(0,process_noise) )
    data = m_f + np.random.normal(loc=0,scale=data_noise,size=hours)
    E = E + DeltaE

    %matplotlib inline
    import matplotlib.pyplot as plt
    # fig1, ax1 = plt.subplots()

    plt.figure(figsize=(16,4))
    plt.plot(hour,E,linestyle='--',c='r',label='Equilibrium')
    plt.plot(hour,m_f,linestyle='-',c='k',label='10-h fuel truth')
    plt.scatter(hour[:h2],data[:h2],c='b',label='10-h fuel data')
    plt.title('Synthetic data')
    plt.xlabel('Time (hours)')
    plt.ylabel('Fuel moisture content (%)')
    plt.legend()
    return E,m_f,data,hour,h2


```

Automatic saving failed. This file was updated remotely or in another tab.

[Show](#)

=0.000,process\_nc

[diff](#)



### ▼ 3.1.2 Running the Kalman filter

We have used the same code for model and for the truth, and run the Kalman filter for 10 days. The graph below shows that the model state was remarkably close to the truth, even if the model is fed only noisy observations. This is because the dynamics of the model and of the truth are the same. After 10 days, we let the model continue without any new data to simulate forecasting the future, and the agreement with the truth was still very good.

```
import numpy as np
import matplotlib.pyplot as plt

# using global E, m_f

def plot_m(m, Ec=None, title=None,): # global hour
    hours=hour.shape[0]
    %matplotlib inline
    plt.figure(figsize=(16,4))
    plt.plot(hour,E,linestyle='--',c='r',label='E=Equilibrium data')
    # print(len(hour),len(m_f))
    plt.plot(hour,m_f,linestyle='-',c='b',label='m_f=10-h fuel truth')
    plt.scatter(hour[:h2],data[:h2],c='b',label='data=10-h fuel data')
    if m is not None:
        plt.plot(hour[:h2],m[:h2],linestyle='-',c='k',label='m=filtered')
        plt.plot(hour[h2:hours],m[h2:hours],linestyle='-',c='r',label='m=forecast')
    if Ec is not None:
        plt.plot(hour,Ec,linestyle='-',c='g',label='Ec=Equilibrium correction')
    if title is not None:
        plt.title(title)
    else:
        plt.legend()

def kf_example(DeltaE):
    hours=hour.shape[0]
    m = np.zeros(hours)
    m[0]=0.1 # background state
    P = np.zeros(hours)
    P[0] = 0.03 # background state variance
    Q = np.array([0.02]) # process noise variance
    H = np.array([1.]) # all observed
    R = np.array([0.02]) # data variance

    for t in range(h2):
        # use lambda construction to pass additional arguments to the model
        m[t+1],P[t+1] = ext_kf(m[t],P[t],lambda u: model_decay(u,E[t]+DeltaE,partials=1),C
```

Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

[diff](#)

```


d=data[t],H=H,R=R)
for t in range(h2, hours - 1):
    m[t+1],P[t+1] = ext_kf(m[t],P[t],lambda u: model_decay(u,E[t]+DeltaE,partials=1))
return m, P

```

```

DeltaE = 0.0          # bias
m, P = kf_example(DeltaE)
plot_m(m)

```



We have recovered the fuel moisture from data with random noise - we **filtered** the noise out.

Let's have a look at the evolution of the filter's estimate of the variance  $P$ . A common problem with the Kalman filter is when the variance converges to zero over time, then, since the filter trusts the model too much it ignores the observations. Of course, once we switch to forecasting mode, the


Automatic saving failed. This file was updated remotely or in another tab. [Show](#) logs when there are no observations, but not in this simplified version.

```

%matplotlib inline
plt.figure(figsize=(16,4))
plt.plot(P,linestyle='-',c='b',label='Estimated state variance P')
plt.title('Kalman filtering and forecast on artificial data')
plt.xlabel('Time (hours)')
plt.ylabel('Estimated variance of fuel moisture (%^2)')
plt.legend()


```

<matplotlib.legend.Legend at 0x7f7a398d5d50>



Now what if the model is wrong - different from nature? That is always so in reality. Now suppose that the model and the truth are not the same. That is always the case in reality. Consider a simple case when the model thinks that the equilibrium  $E$  is too high.


```
DeltaE = -0.05
m, P = kf_example(DeltaE)
plot_m(m)
```



Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

[diff](#)

```
DeltaE = 0.05
m, P = kf_example(DeltaE)
plot_m(m)
```



We have found a good estimate of the state  $m$ , while data is available. Also, the estimated state variance  $P$  converges with time - we have *learned* the variance that balances the noise. But for forecasting fuel moisture, we need to continue the fuel moisture model into the future, and we can't have any measurements from future. We only have the equilibrium from weather forecast. And the forecast and the truth disagree - as soon as there is no data to attract the simulation, the model is doing its own thing.

### 3.2 Model with an augmented state

In reality, the equilibrium moisture  $E$  computed from atmospheric conditions generally does not agree with the data. We want to add a correction  $\Delta E$  to  $E$  constant in time, and identify the new parameter  $\Delta E$  from data. Because the Kalman filter identifies state, add the parameter to the state.

Define augmented state  $u = \begin{bmatrix} m \\ \Delta E \end{bmatrix}$ . Since  $\Delta E$  is constant in time, it satisfies the differential equation  $\frac{d\Delta E}{dt} = 0$ . So, we want to estimate the state  $u$  governed by the

$$\frac{d}{dt} \begin{bmatrix} m \\ \Delta E \end{bmatrix} = \begin{bmatrix} \frac{E + \Delta E - m(t)}{T} \\ 0 \end{bmatrix},$$

which we write as  $\frac{du}{dt} = F(u)$ , where

$$F(u) = \begin{bmatrix} F_1(u) \\ F_2(u) \end{bmatrix} = F \left( \begin{bmatrix} m \\ \Delta E \end{bmatrix} \right) = \begin{bmatrix} (E + \Delta E - m(t)) T_1 \\ 0 \end{bmatrix}, \quad T_1 = \frac{1}{T}.$$

Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

[diff](#)

$$\begin{bmatrix} \frac{\partial F_1}{\partial u_1} & \frac{\partial F_1}{\partial u_2} \\ \frac{\partial F_2}{\partial u_1} & \frac{\partial F_2}{\partial u_2} \end{bmatrix} = \begin{bmatrix} \frac{\partial m_1}{\partial m_0} & \frac{\partial m_1}{\partial E} \\ \frac{\partial \Delta E}{\partial m_0} & \frac{\partial \Delta E}{\partial \Delta E} \end{bmatrix} = \begin{bmatrix} \frac{\partial m_1}{\partial m_0} & \frac{\partial m_1}{\partial E} \\ 0 & 1 \end{bmatrix}$$

Here is a function that implements the augmented model  $F$ . The input is  $u_0$ . The output is  $u_1$  and the Jacobian  $du_1/du_0$ .

Define augmented model function. Also, add use drying, wetting, and rain equilibria

```
def model_augmented(u0, Ed, Ew, r, t):
    # state u is the vector [m, dE] with dE correction to equilibria Ed and Ew at t
    #
    m0, Ec = u0 # decompose state u0
```

```

# reuse model_moisture(m0,Eqd,Eqw,r,partials=0):
# arguments:
# m0          starting fuel moistureb (1)
# Ed          drying equilibrium      (1)
# Ew          wetting equilibrium     (1)
# r           rain intensity          (mm/h)
# partials = 0, 1, 2
# returns: same as model_decay
#   if partials==0: m1 = fuel moisture contents after time 1 hour
#                   ==1: m1, dm0/dm0
#                   ==2: m1, dm1/dm0, dm1/dE
m1, dm1_dm0, dm1_dE = model_moisture(m0,Ed + Ec, Ew + Ec, r, t, partials=2)
u1 = np.array([m1,Ec]) # dE is just copied
J = np.array([[dm1_dm0, dm1_dE],
              [0.      ,      1.]])

return u1, J

```

```

def run_augmented_kf(d,Ed,Ew,rain,h2,hours):
    u = np.zeros((2,hours))
    u[:,0]=[0.1,0.0] # initialize,background state
    P = np.zeros((2,2,hours))
    P[:,:,0] = np.array([[1e-3, 0.],
                        [0., 1e-3]]) # background state covariance
    Q = np.array([[1e-3, 0.],
                 [0, 1e-3]]) # process noise covariance
    H = np.array([[1., 0.]]) # first component observed
    R = np.array([1e-3]) # data variance

    # ext_kf(u,P,F,Q=0,d=None,H=None,R=None) returns ua, Pa

    # print('initial u=',u,'P=',P)
    # print('Q=',Q,'H=',H,'R=',R)

    for t in range(1,h2):

```

Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

[diff](#)

odel

```

        lambda uu: model_augmented(uu,Ed[t],Ew[t],rain[t],t)
        Q,d[t],H=H,R=R)
    # print('time',t,'data',d[t],'filtered',u[0,t],'Ec',u[1,t])
    for t in range(h2,hours):
        u[:,t],P[:,:,t] = ext_kf(u[:,t-1],P[:,:,t-1],
                                lambda uu: model_augmented(uu,Ed[t],Ew[t],rain[t],t)
                                Q*0.0)
        # print('time',t,'data',d[t],'forecast',u[0,t],'Ec',u[1,t])
    return u


```

```


def augmented_example(DeltaE):
    hours=hour.shape[0]
    h2 = int(hours/2)

```

```
m, Ec = run_augmented_kf(data,E+DeltaE,E+DeltaE,0*E,h2,hours) # data, E, hours are
m, Ec=augmented_example(0.1)
plot_m(m, Ec)
```




```
m, Ec=augmented_example(0.0)
plot_m(m, Ec)
```



Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

```
m, Ec=augmented_example(-0.1)
plot_m(m, Ec)
```





## From Kalman filter to neural networks

In the Kalman filter, at each time step  $k$ ,

- the input state is  $u_{k-1}$  size  $n$  and its covariance matrix  $P_{k-1}$  size  $n \times n$ .
- the model is applied to external data  $e_k$  and the input  $u_{k-1}$ ,  $P_{k-1}$  produce the forecast  $u_k^f$  and its covariance  $P_k^f$
- the new state  $u_k$  is found by minimizing  $\|u_k^f - u_k\|_{P_k^f}^2 + \|Hu_k - d_k\|_R^2$
- the new state covariance is  $P_k = ((P_k^f)^{-1} + H^\top R^{-1} H)^{-1}$ .

Here, the state consists of

- the fuel moisture and the adjustment to the equilibrium, dimension 2
- the covariance matrix of vector of dimension 2, which is symmetric  $2 \times 2$  matrix, given by 3 numbers because it is symmetric. Thus, the dimension of the state is  $2 + 3 = 5$ . The first component of the state, the fuel moisture, is the quantity of interest, the rest are auxiliary.

This can be understood as:

- a mapping  $M$  of the 5-dimensional hidden and external data state to a new hidden state:
 
$$M : (u_{k-1}, P_{k-1}, e_k) \mapsto (u_k, P_k)$$
- retrieving the output (the quantity of interest) as the first component of the hidden state
- feeding the hidden state back to the mapping  $M$  for the next step  $k + 1$

Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

Note that in the augmented Kalman filter above, the mapping  $M$  is fixed and it has a one component of the hidden state as a parameter. To get a better fit, we could increase the number of parameters, e.g., by modeling the moisture in multiple layers, as in van der Kamp et al. (2017) two-layer model.

## Building and evaluating RNN

A recurrent neural network (RNN) has a similar information flow but it can be more flexible and look for the best model automatically, i.e., build the model from data.

We'll start by how to evaluate the map, then actually create it later.

Some of the code is from <https://machinelearningmastery.com/understanding-simple-recurrent-neural-networks-in-keras/>

```
import numpy as np
import tensorflow as tf
from keras.models import Sequential
from keras.layers import Dense, SimpleRNN
from keras.utils.vis_utils import plot_model
from sklearn.preprocessing import MinMaxScaler
from sklearn.metrics import mean_squared_error
import math
import matplotlib.pyplot as plt
import tensorflow as tf
import keras.backend as K

def create_RNN(hidden_units, dense_units, input_shape, activation):
    inputs = tf.keras.Input(shape=input_shape)
    # https://stackoverflow.com/questions/43448029/how-can-i-print-the-values-of-keras
    # inputs2 = K.print_tensor(inputs, message='inputs = ') # change allso inputs to
    x = tf.keras.layers.SimpleRNN(hidden_units, input_shape=input_shape,
                                   activation=activation[0])(inputs)
    outputs = tf.keras.layers.Dense(dense_units, activation=activation[1])(x)
    model = tf.keras.Model(inputs=inputs, outputs=outputs)
    model.compile(loss='mean_squared_error', optimizer='adam')
    return model

# Demo example
hidden=5
features=2
timesteps=3
```

Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

```
print(demo_model.summary())
w = demo_model.get_weights()
#print(len(w), ' weight arrays:', w)
wname=('wx', 'wh', 'bh', 'wy', 'by', 'wz', 'bz')
for i in range(len(w)):
    print(i, ':', wname[i], 'shape=', w[i].shape)
wx, wh, bh, wy, by = w
plot_model(demo_model, to_file='model_plot.png',
           show_shapes=True, show_layer_names=True,
           expand_nested=True,)
```


Model: "model"

Layer (type)	Output Shape	Param #
input_1 (InputLayer)	[(None, 3, 2)]	0
simple_rnn (SimpleRNN)	(None, 5)	40
dense (Dense)	(None, 1)	6

=====  
 Total params: 46  
 Trainable params: 46  
 Non-trainable params: 0  
 =====

None


- 0 : wx shape= (2, 5)
- 1 : wh shape= (5, 5)
- 2 : bh shape= (5,)
- 3 : wy shape= (5, 1)
- 4 : by shape= (1,)



The input layer here is just a formality. The input of the hidden layer `simple_rnn` consist of vector

Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

Now let's do a simple experiment to see how the layers from a SimpleRNN and Dense layer produce an output. Keep this figure in view.



$h_t$  is initialized to zero vector

We'll input  $x$  for three time steps and let the network generate an output. The values of the hidden units at time steps 1, 2 and 3 will be computed.  $h(0)$  is initialized to the zero vector. The output  $o(3)$  is computed from  $h(3)$  and  $w(3)$ . An activation function is linear,  $f(x) = x$ , so the update of  $h(k)$  and the output  $o(k)$  are given by

$$\begin{aligned}h(0) &= 0 \\h(k+1) &= x(k)w_x + h(k)w_h + b_h \\o(k+1) &= h(k+1)w_y + b_y\end{aligned}$$

```
# Reshape the input to sample_size x time_steps x features
samples=4 # number of samples
x = tf.reshape(tf.range(samples*timesteps*features), [samples,timesteps,features])
print('test input x=',x)
print('model.predict start')
y_pred_model = demo_model.predict(x)
print('model.predict end')

o3=np.zeros([samples,1])
for i in range(samples):
    h_0 = np.zeros(hidden)
    h_1 = np.dot(x[i,0,:], wx) + np.dot(h_0,wh) + bh
    h_2 = np.dot(x[i,1,:], wx) + np.dot(h_1,wh) + bh
    h_3 = np.dot(x[i,2,:], wx) + np.dot(h_2,wh) + bh
    o3[i,0] = np.dot(h_3, wy) + by
#print('h1 = ', h_1,'h2 = ', h_2,'h3 = ', h_3)

print("Prediction from network ", y_pred_model)
print("Prediction from our computation ", o3)

test input x= tf.Tensor(
[[[ 0  1]
```

Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

```
[[[ 6  7]
   [ 8  9]
   [10 11]]

[[[12 13]
   [14 15]
   [16 17]]

[[[18 19]
   [20 21]
   [22 23]]], shape=(4, 3, 2), dtype=int32)
model.predict start
model.predict end
Prediction from network [[ 6.292497]
[16.906956]
```

```

[27.52142 ]
[38.135868]]
Prediction from our computation [[ 6.29249701]
[16.90695661]
[27.52141621]
[38.1358758 ]]

```

The result is the same.

## ▼ Training and forecasting with the RNN

We are given a sequence  $x$  of inputs size  $[\text{train\_steps} + \text{forecast\_steps}, \text{features}]$  and want to train a model so that at step  $i$  in  $\text{range}(\text{train\_steps})$ , the model returns close to  $\text{features}[i, :]$ . The trained model then returns for  $i$  in  $\text{range}(\text{train\_steps}, \text{train\_steps} + \text{forecast\_steps})$  a forecast  $\text{features}[i, :]$ .

```

def staircase(x,y,timesteps,trainsteps):
    # x [trainsteps+forecaststeps,features]    all inputs
    # y [trainsteps,outputs]
    # timesteps: split x and y into samples length timesteps, shifted by 1
    # trainsteps: number of timesteps to use for training, no more than y.shape[0]
    print('shape x = ',x.shape)
    print('shape y = ',y.shape)
    print('timesteps=',timesteps)
    print('trainsteps=',trainsteps)
    outputs = y.shape[1]
    features = x.shape[1]
    forecaststeps = x.shape[0]-trainsteps
    samples = trainsteps-timesteps+1
    print('staircase: samples=',samples,'timesteps=',timesteps,'features=',features)

```

Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

[diff](#)

```

for i in range(samples):
    for j in range(features):
        for k in range(timesteps):
            x_train[i,k,j] = x[i+k,j]
    for j in range(outputs):
        y_train[i,j] = y[i+timesteps-1,j]
return x_train, y_train

def seq2batches(x,y,timesteps,trainsteps):
    # x [trainsteps+forecaststeps,features]    all inputs
    # y [trainsteps,outputs]
    # timesteps: split x and y into samples length timesteps, shifted by 1
    # trainsteps: number of timesteps to use for training, no more than y.shape[0]
    print('shape x = ',x.shape)

```

```

print('shape y = ',y.shape)
print('timesteps=',timesteps)
print('trainsteps=',trainsteps)
outputs = y.shape[1]
features = x.shape[1]
samples= trainsteps - timesteps + 1
print('samples=',samples)
x_train = np.empty([samples, timesteps, features])
y_train = np.empty([samples, timesteps, outputs]) # only the last
print('samples=',samples,' timesteps=',timesteps,
      ' features=',features,' outputs=',outputs)
for i in range(samples):
    for k in range(timesteps):
        for j in range(features):
            x_train[i,k,j] = x[i+k,j]
        for j in range(outputs):
            y_train[i,k,j] = y[i+k,j] # return sequences
return x_train, y_train

print('test preprocessing for RNN')
trainsteps=5
features=1
outputs=1
timesteps=3
x = tf.reshape(tf.range(trainsteps*features),[trainsteps,features])
y = tf.reshape(tf.range(trainsteps*outputs),[trainsteps,outputs])
print('x=',x)
print('y=',y)
x_train, y_train = staircase(x,y,timesteps,trainsteps)
print('x_train=',x_train)
print('y_train=',y_train)
x_train, y_train = seq2batches(x,y,timesteps,trainsteps)
print('x_train=',x_train)
print('y_train=',y_train)

```

Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

```

[2]
[3]
[4]], shape=(5, 1), dtype=int32)
y= tf.Tensor(
[[0]
 [1]
 [2]
 [3]
 [4]], shape=(5, 1), dtype=int32)
shape x = (5, 1)
shape y = (5, 1)
timesteps= 3
trainsteps= 5
staircase: samples= 3 timesteps= 3 features= 1
x_train= [[[0.]
 [1.]
 [2.]
 [3.]
 [4.]

```

```

[[2.]]

[[1.]
 [2.]
 [3.]]

[[2.]
 [3.]
 [4.]]]
y_train= [[2.]
 [3.]
 [4.]]
shape x = (5, 1)
shape y = (5, 1)
timesteps= 3
trainsteps= 5
samples= 3
samples= 3 timesteps= 3 features= 1 outputs= 1
x_train= [[[0.]
 [1.]
 [2.]]

[[1.]
 [2.]
 [3.]]

[[2.]
 [3.]
 [4.]]]
y_train= [[[0.]
 [1.]
 [2.]]


[[1.]
 [2.]
 [3.]]

[[2.]

```

Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

```
E,m_f,data,hour,h2 = create_synthetic_data(days=20,power=4,data_noise=0.0,process_noise
```



```

scale=False
# transform as 2D, (timesteps, features) and (timesteps, outputs)
Et = np.reshape(E,[E.shape[0],1])
datat = np.reshape(data,[data.shape[0],1])
if scale:
    scalerx = MinMaxScaler()
    scalerx.fit(Et)
    Et = scalerx.transform(Et)
    scalery = MinMaxScaler()
    scalery.fit(datat)
    datat = scalery.transform(datat)
x_train, y_train = staircase(Et,datat,timesteps=1,trainsteps=h2)
print('x_train shape=',x_train.shape)
samples, timesteps, features = x_train.shape
print('y_train shape=',y_train.shape)

```

```

shape x = (480, 1)
shape y = (480, 1)
timesteps= 1
trainsteps= 240
staircase: samples= 240 timesteps= 1 features= 1
x_train shape= (240, 1, 1)
y_train shape= (240, 1)

```

```

def create_RNN_2(hidden_units, dense_units, activation, stateful=False,
                 batch_shape=None, input_shape=None, dense_layers=1):
    if stateful:
        inputs = tf.keras.Input(batch_shape=batch_shape)
    else:
        inputs = tf.keras.Input(shape=input_shape)

```

Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

```

x = tf.keras.layers.SimpleRNN(hidden_units,activation=activation[0],stateful=stateful)(x)
# x = tf.keras.layers.Dense(hidden_units, activation=activation[1])(x)
for i in range(dense_layers):
    x = tf.keras.layers.Dense(dense_units, activation=activation[1])(x)
model = tf.keras.Model(inputs=inputs, outputs=x)
model.compile(loss='mean_squared_error', optimizer='adam')
return model

def create_RNN_functional(hidden_units, dense_units, input_shape, activation):
    inputs = tf.keras.Input(shape=input_shape)
    x = tf.keras.layers.SimpleRNN(hidden_units, input_shape=input_shape,
                                   activation=activation[0])(inputs)
    outputs = tf.keras.layers.Dense(dense_units, activation=activation[1])(x)
    model = tf.keras.Model(inputs=inputs, outputs=outputs)
    model.compile(loss='mean_squared_error', optimizer='adam')
    return model

```



```

def create_fit_predict_RNN(hidden_units, dense_units,
                           samples, timesteps, features, dense_layers=1, activation=
# statefull model version with with fixed number of batches
model_fit=create_RNN_2(hidden_units=hidden_units, dense_units=dense_units,
                        batch_shape=(samples, timesteps, features),stateful = True,
                        activation=activation,dense_layers=dense_layers)

print(model_fit.summary())
# same model for prediction on the entire dataset
model_predict=create_RNN_2(hidden_units=hidden_units, dense_units=dense_units,
                           input_shape=(None,features),stateful = False,
                           activation=activation,dense_layers=dense_layers)

print(model_predict.summary())
return model_fit, model_predict

# the simplest model possible
activation=['linear','linear']
hidden_units=1
dense_units=1
dense_layers=1
features=1
hours=Et.shape[0]
# statefull model version for traning
model_fit=create_RNN_2(hidden_units=hidden_units, dense_units=dense_units,
                       batch_shape=(samples, timesteps, features),stateful = True,
                       activation=activation,dense_layers=dense_layers)
# same model stateless for prediction on the entire dataset - to start onlg
# the real application will switch to prediction after training data end
# and start from the state there
model_predict=create_RNN_2(hidden_units=hidden_units, dense_units=dense_units,
                           input_shape=(hours,features),stateful = False,
                           activation=activation,dense_layers=dense_layers)
model_predict=create_RNN_functional(hidden_units=1, dense_units=1, input_shape=(hours,
                                       activation=['linear', 'linear']))

Automatic saving failed. This file was updated remotely or in another tab. Show
diff
plot_model(model_predict, to_file='model_plot.png',
           show_shapes=True, show_layer_names=True)

# not fitting yet
# fmda_model.fit(x_train, y_train, epochs=40, verbose=2,batch_size=samples)


```

Model: "model\_3"

Layer (type)	Output Shape	Param #
input_4 (InputLayer)	[(None, 480, 1)]	0
simple_rnn_3 (SimpleRNN)	(None, 1)	3
dense_3 (Dense)	(None, 1)	2

=====  
 Total params: 5  
 Trainable params: 5  
 Non-trainable params: 0

None



```
w=model_predict.get_weights()
w1=[np.array([[1.-np.exp(-0.1)]]), np.array([[np.exp(-0.1)]]), np.array([0.]),np.array
for i in range(len(w)):
    print(i,'w:',w[i],w[i].shape,'      w1:',w1[i],w1[i].shape,)
h=0
out1 = np.empty((hours,1))
for i in range(Et.shape[0]):
    h      =np.dot(Et[i,0],w1[0])+np.dot(h,w1[1]) + w1[2]
    out=np.dot(h,w1[3]) + w1[4]
    out1[i,0]=out
print('out=',out)
model_predict.set_weights(w1)
```


Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

```
print('m=',m)

[ ] 0 w: [[0.9473685]] (1, 1)      w1: [[0.09516258]] (1, 1)
    1 w: [[-1.]] (1, 1)          w1: [[0.90483742]] (1, 1)
    2 w: [0.] (1,)              w1: [0.] (1,)
    3 w: [[-0.50949776]] (1, 1)   w1: [[1.]] (1, 1)
    4 w: [0.] (1,)              w1: [0.] (1,)
    out= [[0.13301569]]
    m= [[0.13301574]]

print(out1.shape)
plot_m(out1,title='Hand computed RNN prediction')
```

(480, 1)



```

if scale:
    mt = scalery.inverse_transform(mt)
m = mt[:,0]
plot_m(m,title='Actual RNN prediction same weights')

```

```

-----
NameError                                Traceback (most recent call last)
<ipython-input-31-a91690c22f0b> in <module>()
      1 if scale:
      2     mt = scalery.inverse_transform(mt)
----> 3 m = mt[:,0]
      4 plot_m(m,title='Actual RNN prediction same weights')

```

NameError: name 'mt' is not defined

SEARCH STACK OVERFLOW

```

fmda_model, fmda_model_eval = create_fit_predict_RNN(hidden_units=7, dense_units=1,
    samples=samples, timesteps=timesteps, features=1,

```

Automatic saving failed. This file was updated remotely or in another tab. [Show](#) (es)

```

diff
# Same model as stateless for prediction.
w=fmda_model.get_weights()
fmda_model_eval.set_weights(w)
# prediction on the entire dataset from zero state
mt = fmda_model_eval.predict(Et)
m = scalery.inverse_transform(mt)
plot_m(m,title='RNN prediction')

```

```

x = tf.zeros([3,4])
x.shape[0]
trainsteps,outputs = x.shape
trainsteps,outputs
y = tf.zeros([trainsteps,features])
print(x[1,:])

```

```
print(x)
```

```
tf.zeros([1,2,3])
```

## 3.2 Acquisition and preprocessing of real data

Double-click (or enter) to edit

Double-click (or enter) to edit

Data assimilation for fuel moisture from Remote Automated Weather Stations (RAWS) was developed in Vejmelka et al. (2016). First, they use regression from all RAWS in a given area to extend the data spatially from RAWS to a grid in the whole area, then they run the extended Kalman filter at each grid node. Here, we are interested in a simplified problem: estimate future fuel moisture at a single RAWS location from weather data.

### 3.2.1 Acquisition of fuel moisture observations

We try to load the data from a saved file first. If that fails, retrieve the fuel moisture data from sensors on weather stations in the Mesowest network. Get all stations with fuel moisture data in a spatial box within one hour, then pick one station and retrieve the whole time series.

```
import json
jfile = 'raws.json'; vars='fuel_moisture'; case = 1

Automatic saving failed. This file was updated remotely or in another tab. Show use = 2
diff
print('writing json file',f)
json.dump(j,open(f,'w'),indent=4)
try:
    #! wget --no-clobber http://math.ucdenver.edu/~jmandel/data/math4779f21/raws.json
    j = json.load(open(jfile,'r'))
    print('loaded from ',jfile)
    # Take the first station in the bounding box that has data between time_start and
    # Then retrieve data for that station between time_start and time_end
    time_start = j['time_start']      # start of data time series
    # time_s2    = j['time_s2']        # end of segment to read coordinates
    time_end   = j['time_end']        # end of data time series
    meso_ts    = j['meso_ts']         # get meso observations time series
    obs_lon    = j['obs_lon']         # where we retrieved observations
    obs_lat    = j['obs_lat']
except:
```

```

print("can't read",jfile,', creating')
# set up bounds
time_start = "201806010800" # June 1 2018 08:00 in format yyyyymmddHHMM
time_s2     = "201806010900" # June 1 2018 09:00 in format yyyyymmddHHMM
time_end    = "201907200900" # June 20 2018 09:00 in format yyyyymmddHHMM
#time_start= "201810230100"
#time_s2=    "201810230300"
#time_end   = "201806022300"
!pip install MesoPy
from MesoPy import Meso
bounding_box = "-115, 38, -110, 40" # min longitude, latitude
meso_token="b40cb52cbdef43ef81329b84e8fd874f" # you should get your own if y
m = Meso(meso_token)# create a Meso object
print('reading MesoWest fuel moisture data')
json_w(m.variables(),'variables.json')
meso_obss = m.timeseries(time_start, time_s2, bbox=bounding_box,
                        showemptystations = '0', vars=vars) # ask the object fo
json_w(meso_obss,'meso_obss.json')
# pick one station and retrieve the whole time series.
station=meso_obss['STATION'][0]
json_w(station,'station.json')
lon,lat = (float(station['LONGITUDE']),float(station['LATITUDE']))
print(station['NAME'],'station',station['STID'],'at',lon,lat)
e = 0.01 # tolerance
bb = '%s, %s, %s, %s' % (lon - e, lat - e, lon + e, lat + e)
print('bounding box',bb)
meso_ts = m.timeseries(time_start, time_end, bbox=bb, showemptystations = '0', var
json_w(meso_ts,'meso_ts.json')
obs_lon, obs_lat = (lon, lat) # remember station coordinates for later
j={'time_start':time_start,'time_s2':time_s2,'time_end':time_end,
  'meso_ts':meso_ts,'obs_lon':obs_lon,'obs_lat':obs_lat}
json_w(j,jfile)
print('done')

```

Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

[diff](#)

```

from datetime import datetime, timedelta, time
import numpy as np
import matplotlib.pyplot as plt
import pytz
station = meso_ts['STATION'][0]
time_str = station['OBSERVATIONS']['date_time']
obs_time = [datetime.strptime(t, '%Y-%m-%dT%H:%M:%SZ').replace(tzinfo=pytz.UTC) for t
start_time = obs_time[0].replace(minute=0) # remember obs_time and start_time for
end_time = obs_time[-1]
obs_data = np.array(station['OBSERVATIONS']["fuel_moisture_set_1"])
# obs_data = np.array(station['OBSERVATIONS']["fuel_moisture"])
# display the data retrieved
#for o_time,o_data in zip (obs_time,obs_data):
#    print(o_time,o_data)
%matplotlib inline

```

```
plt.figure(figsize=(16,4))
plt.plot(obs_data,linestyle='-',c='k',label='10-h fuel data')
plt.title(station['STID'] + ' 10 h fuel moisture data')
plt.xlabel('Time (hours)')
plt.ylabel('Fuel moisture content (%)')
plt.legend()
```

```
# %debug
```

Double-click (or enter) to edit

### 3.2.2 Acquisition of weather data

Our weather data are results from atmospheric models, with assimilated observations from weather stations, satellites, radars, etc. The models can be run in reanalysis mode (for the past, with data for the period modeled) or in forecast mode (for the future, with only past data assimilated - because future data are not here yet). We use the Real-Time Mesoscale Analysis ([RTMA](#)) interpolated to the RAWS location. RTMA is a real-time product, posted hourly, and available only for few days in the past. We have our own collection of selected RAWS data over past few years, obtained as a side effect of running the fuel moisture modeling software [WRFXPY](#).

First try to read the data already extracted for this RAWS and staged for download.

```
import json
jfile = 'rtma.json'
try:
```

9f21/rtma.json

```
Automatic saving failed. This file was updated remotely or in another tab. Show
diff
print('loaded from',jfile)
if j['obs_lat']!=obs_lat or j['obs_lon']!=obs_lon:
    print('lon lat doesnot agree, need to load original RTMA files')
    read_rtma=True
else:
    read_rtma=False
except:
    print("can't read",jfile,',', creating')
    read_rtma=True

print('')
```

Next, functions to get the files, open as grib, and interpolate to the station coordinates

- Note: If read\_rtma==True, the notebook will say it crashed when run the first time. This is because it needs to install different version of some python packages and restart runtime. Simply run it again.**

```
# Set up environment to read RTMA gribs
# we will need current numpy for pygrib - needed on Colab, tensorflow is using numpy 1
if read_rtma:
    import subprocess,os
    def load_rtma(path,file,reload=0):
        url='http://math.ucdenver.edu/~jmandel/rtma/' + path
        if os.path.exists(file):
            if reload:
                print(file + ' already exists, removing')
                os.remove(file)
            else:
                print(file + ' already exists, exiting')
                # add checking size here
                return 0
        try:
            ret = subprocess.check_output(['wget','--no-clobber','--output-document='+ file,
            if os.path.exists(file):
                print('loaded ' + url + ' as ' + file)
                return 0
            else:
                print('file transfer completed, but the file is missing? ' + url)
                return 1
        except:
            print('file transfer failed: ' + url)
            return 2
```

Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

on returns zero if

the file transfer succeeded. If the file is not available, it returns a nonzero value. Note: if needed, maybe in future add more sophisticated checks, check the return code of wget and if the file size is correct.

```
if read_rtma:
    def rtma_grib(t,var):
        tpath = '%4i%02i%02i%02i' % (t.year, t.month, t.day, t.hour) # remote path on se
        tstr = '%4i%02i%02i%02i_' % (t.year, t.month, t.day, t.hour) # time string for ]
        gribfile = os.path.join('data',tstr + var + '.grib')
        remote = tpath + '/' + var + '.grib'
        if load_rtma(remote,gribfile):
            print('cannot load remote file',remote,'as',gribfile)
            return []
```

```

else:
    try:
        gf=GribFile(gribfile)
        v = np.array(gf[1].values())
    except:
        print('cannot read grib file',gribfile)
        return []
print('loaded ',gribfile,' containing array shape ',v.shape)
return gf[1] # grib message

if read_rtma:
    times = pd.date_range(start=time_start,end=time_end,freq='1H')
    varnames=['temp','td','precipa']
    j = read_interp_rtma(varnames,times,obs_lat,obs_lon) # temperature
    for varname in varnames:
        j[varname]=j[varname].tolist()
    j['obs_lat']=obs_lat
    j['obs_lon']=obs_lon
    json.dump(j,open('rtma.json','w'),indent=4)
    print('done')

from scipy.interpolate import LinearNDInterpolator, interpn
from scipy.optimize import root
def interp_to_lat_lon_slow(lats,lons,v,lat,lon):
    # on mesh with coordinates lats and lons interpolate v to given lat lon
    interp=LinearNDInterpolator(list(zip(lats.flatten(),lons.flatten()))),v.flatten())
    return interp(lat,lon)
def interp_to_lat_lon(lats,lons,v,lat,lon):
    # on mesh with coordinates lats and lons interpolate v to given lat lon
    points=(np.array(range(lats.shape[0]),float),np.array(range(lats.shape[1]),float))
    def res(ij): # interpolation of lons lats on the uniform mesh, to noninteger coord
        return np.hstack((interpnp(points,lats,ij)-lat, interpnp(points,lons,ij)-lon))
    interpolate to (
diff
Automatic saving failed. This file was updated remotely or in another tab. Show
    print(result.message)
    exit(1)
    return interpnp(points,v,result.x)

The interpolation function needs to be tested.

def interp_to_lat_lon_test(lats,lons):
    print('testing interp_to_lat_lon')
    vx, vy = np.meshgrid(range(lats.shape[0]),range(lats.shape[1]),indexing='ij')
    i, j = (1,2)
    lat,lon = ((lats[i,j]+lats[i+1,j+1])/2,(lons[i,j]+lons[i+1,j+1])/2)
    vi = interp_to_lat_lon(lats,lons,vx,lat,lon)

```



```

vj = interp_to_lat_lon(lats,lons,vy,lat,lon)
print(vi,vj,'should be about',i+0.5,j+0.5)
test_slow = 0
if test_slow:
    print('Testing against the standard slow method scipy.interpolate.LinearNDInterp')
    vi_slow = interp_to_lat_lon_slow(lats,lons,vx,lat,lon)
    print(vi_slow)
    vj_slow = interp_to_lat_lon_slow(lats,lons,vy,lat,lon)
    print(vj_slow)

#gf = rtma_grib(start_time,'temp')      # read the first grib file and use it to test
#lats, lons = gf.latlons()
#interp_to_lat_lon_test(lats,lons)

#%%debug

```

Now we are ready for a function to read the RTMA files and interpolate to the station coordinates

```

if read_rtma:
    import pandas as pd, json
    def read_interp_rtma(varnames,times,lat,lon):
        # read RTMA from start_time to end_time and interpolate to obs_lat obs_lon
        ntimes = len(times)
        time_str = 'time_str'
        j={time_str:times.strftime('%Y-%m-%d %H:%M').tolist()}
        for varname in varnames:
            j[varname]=np.full(ntimes,np.nan) # initialize array of nans as list
        n=0
        for t in times:
            print('n=',n,'time',tim,'expected',should_be)
            raise 'Invalid time'
        for varname in varnames:
            gf = rtma_grib(t,varname) # read and create grib object, download if needed
            if gf:
                lats,lons = gf.latlons() # coordinates
                v = gf.values()
                vi=interp_to_lat_lon(lats,lons,v,lat,lon) # append to array
                print(varname,'at',t,'interpolated to',lat,lon,' value ',vi)
                j[varname][n] = vi
            else:
                print(varname,'at',t,' could not be loaded')
            n = n+1
        return j

```

Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

```
# %debug
```

### 3.2.3 Preprocessing and visualization of the weather data

```
rtma = j
td = np.array(rtma['td'])
t2 = np.array(rtma['temp'])
rain=np.array(rtma['precipa'])
# compute relative humidity
rh = 100*np.exp(17.625*243.04*(td - t2) / (243.04 + t2 - 273.15) / (243.0 + td - 273.15))
Ed = 0.924*rh**0.679 + 0.000499*np.exp(0.1*rh) + 0.18*(21.1 + 273.15 - t2)*(1 - np.exp(-0.1*rh))
Ew = 0.618*rh**0.753 + 0.000454*np.exp(0.1*rh) + 0.18*(21.1 + 273.15 - t2)*(1 - np.exp(-0.1*rh))
```

```
%matplotlib inline
plt.figure(figsize=(16,4))
plt.plot(t2,linestyle='-',c='k',label='Temperature')
plt.title(station['STID'] + ' Temperature')
plt.xlabel('Time (hours)')
plt.ylabel('Temperature (K)')
plt.legend()
```

```
%matplotlib inline
plt.figure(figsize=(16,4))
plt.plot(td,linestyle='-',c='k',label='Dew point')
plt.title(station['STID'] + ' Dew point (K)')
plt.xlabel('Time (hours)')
plt.ylabel('Dew point (K)')
plt.legend()
```

Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

[diff](#)

```
plt.figure(figsize=(16,4))
plt.plot(rh,linestyle='-',c='k',label='Dew point')
plt.title(station['STID'] + ' relative humidity')
plt.xlabel('Time (hours)')
plt.ylabel('Relative humidity (%)')
plt.legend()
```

```
%matplotlib inline
plt.figure(figsize=(16,4))
plt.plot(Ed,linestyle='-',c='r',label='drying equilibrium')
plt.plot(Ew,linestyle=':',c='b',label='wetting equilibrium')
plt.title(station['STID'] + ' drying and wetting equilibria')
plt.xlabel('Time (hours)')
```

```
plt.ylabel('Fuel moisture contents (%)')
plt.legend()
```

Double-click (or enter) to edit

```
%matplotlib inline
plt.figure(figsize=(16,4))
plt.plot(rain,linestyle='-',c='k',label='Precipitation')
plt.title(station['STID'] + ' Precipitation' )
plt.xlabel('Time (hours)')
plt.ylabel('Precipitation (mm/hour)')
plt.legend()
```

```
print(rain[1900:2000])
```

Precipitation from RTMA is in  $\text{kg/m}^2$ . 1m water depth over  $1\text{m}^2$  is  $1\text{m}^3$  with mass 1000 kg thus 1  $\text{kg/m}^2$  is the same as 1 mm of precipitation. RTMA values are accumulations over 1 h so these are values in mm/h. So 9999 mm/h = 10m/h makes no sense. Replace anything over 1m/h by nan and try again.

```
rain[rain > 1000] = np.NaN
```

```
%matplotlib inline
plt.figure(figsize=(16,4))
plt.plot(rain,linestyle='-',c='k',label='Precipitation')
plt.title(station['STID'] + ' Precipitation' )
plt.xlabel('Time (hours)')
plt.ylabel('Precipitation (mm/hour)')
plt.legend()
```

Automatic saving failed. This file was updated remotely or in another tab.

[Show](#)

gap.

[diff](#)

```
# fix isolated nans
def fixnan(a,n):
    for c in range(n):
        for i in np.where(np.isnan(a)):
            a[i]=0.5*(a[i-1]+a[i+1])
        if not any(np.isnan(a)):
            break
    return a
```

```
rain=fixnan(rain,2)
t2=fixnan(t2,2)
rh=fixnan(rh,2)
obs_data=fixnan(obs_data,2)
```

```

Ed=fixnan(Ed,2)
Ew=fixnan(Ew,2)

print(np.where(np.isnan(rain)))
print(np.where(np.isnan(t2)))
print(np.where(np.isnan(rh)))
print(np.where(np.isnan(obs_data)))

```

## ▼ 4 Results

### ▼ 4.1 Kalman filter with fuel moisture observations, followed by forecasting

We run the model first with Kalman filter for 150 hours. The observations are the RAWS data. After 150 hours, we run in forecast mode - the RAWS data are no longer used, and we run the model from the weather data without the Kalman filter. The weather data are taken to be RTMA interpolated to one RAWS location. In a real forecasting application, the model would be run from weather forecast rather than data.

```

# run KF on an initial data segment
import numpy as np
import matplotlib.pyplot as plt

hours=1200 # total simulation
h2 = 300
m = np.zeros(hours) # preallocate
m[0]= obs_data[0] # initial state
P = np.zeros(hours)
P[0] = 1e-3 # background state variance
H = np.array([1.]) # all oQ = np.array([0.02]) # process noise variance observed

```

Automatic saving failed. This file was updated remotely or in another tab. [Show](#)

[diff](#)

```

# using lambda construction to pass additional arguments to the model
if t < h2 and not np.isnan(obs_data[t]) and not np.isnan(Ew[t]) and not np.isnan(rain[t]):
    m[t+1],P[t+1] = ext_kf(m[t],P[t],lambda u: model_moisture(u,Ed[t],Ew[t],rain[t],
        d=obs_data[t],H=H,R=R)
else: # just advance to next hour, no process noise
    m[t+1],P[t+1] = ext_kf(m[t],P[t],lambda u: model_moisture(u,Ed[t],Ew[t],rain[t],

%matplotlib inline
plt.figure(figsize=(16,4))
plt.plot(Ed[:hours],linestyle='--',c='r',label='Drying Equilibrium')
plt.plot(Ew[:hours],linestyle='--',c='b',label='Wetting Equilibrium')
plt.plot(obs_data[:hours],linestyle=':',c='k',label='RAWS data')
plt.plot(m[:h2],linestyle='-',c='k',label='filtered')
plt.plot(range(h2,hours),m[h2:hours],linestyle='-',c='r',label='forecast')

```

```
plt.title(station['STID'] + ' Kalman filtering and forecast with real data')
plt.xlabel('Time (hours)')
plt.ylabel('Fuel moisture content (%)')
plt.legend()
```

Clearly, there is a problem - the forecast fuel moisture is too high. We need to assimilate also some parameters of the model, not just its output state.

### ▼ 4.3 Kalman filter on the augmented model

Run augmented filter and plot the result:

```
m, Ec = run_augmented_kf(obs_data, Ed, Ew, rain, h2, hours) # extract from state

def plot_moisture(hmin, hmax):
    print('training from 0 to', h2, 'plot from', hmin, 'to', hmax)
    plt.figure(figsize=(16, 4))
    plt.plot(range(hmin, hmax), Ed[hmin:hmax], linestyle='--', c='r', label='Drying Equilibri
    plt.plot(range(hmin, hmax), Ew[hmin:hmax], linestyle='--', c='b', label='Wetting Equilibri
    plt.plot(range(hmin, hmax), Ec[hmin:hmax], linestyle='--', c='g', label='Equilibrium Corri
    plt.plot(range(hmin, hmax), obs_data[hmin:hmax], linestyle='-', c='b', label='RAWS data (
    plt.plot(range(hmin, hmax), rain[hmin:hmax], linestyle='-', c='b', label='RTMA rain (mm/h
    if hmin >= h2:
        plt.plot(m[hmin:h2], linestyle='-', c='k', label='Filtered')
    h1 = np.maximum(hmin, h2)
    plt.plot(range(h1, hmax), m[h1:hmax], linestyle='-', c='r', label='Forecast (%)')
    plt.title(station['STID'] + ' Kalman filtering and forecast with augmented state, rea
    plt.xlabel('Time (hours)')
```

Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

```
plot_moisture(0, hours)
```

A detailed view of transition from training to forecast:

```
plot_moisture(0, 600)
```

```
plot_moisture(300, 800)
```

```
plot_moisture(800, 1200)
```

Filtering by extended Kalman filter using RAWS data until 150 hours, then forecasting mode - running the model from interpolated RTMA only. For the first 60 hours the forecast is good, the equilibrium correction made the model quite close to data. But then the big spike in equilibrium moisture around 230 hours attracted the solution, and it took a while for it to get back. The spike in the RAWS measurement is there but much smaller. The model becomes inaccurate during periods when the fuel moisture equilibrium is large.

Possible reasons include: 1. There was something in the data we do not know about - maybe it rained but RTMA did not tell us. Try comparing with data from the RAWS itself? 2. The model is too simple, assumes the whole depth of the wood stick is wetting and drying at the same time. Perhaps the moisture got stored in the inside layers of the measurement stick. Try a two-layer model as in van der Kamp (2017) and make the state larger?

A detailed view of rain episode:

```
plot_moisture(900,1100)
```

It seems there is some rain that the model does not know about.

#### 4.4 A comment on the information flow in the Kalman filter and in neural networks

Double-click (or enter) to edit

Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

We have shown how to combine a model and data for improved forecasting of fuel moisture from weather forecast using the Kalman filter. Augmenting the filter state by a model parameter and joint estimation of augmented state resulted in an improvement of the forecast.

#### Contributions of authors

Not applicable.

## ▼ Acknowledgements

This Math Clinic was sponsored by the team of investigators of the NASA grant no. 80NSSC19K1091 *Coupled Interactive Forecasting of Weather, Fire Behavior, and Smoke Impact for Improved Wildland Fire Decision Making* under the NASA ROSES18 Disasters program. The author would like to thank Brian Zhang from the Math Clinic class for bringing the reference van der Kamp et al. (2017) to his attention.

## ▼ References

J. Mandel, S. Amram, J. D. Beezley, G. Kelman, A. K. Kochanski, V. Y. Kondratenko, B. H. Lynn, B. Regev, and M. Vejmelka. *Recent advances and applications of WRF-SFIRE*. *Natural Hazards and Earth System Science*, 14(10):2829–2845, 2014. [doi:10.5194/nhessd-2-1759-2014](https://doi.org/10.5194/nhessd-2-1759-2014)

R. E. Kalman. *A new approach to linear filtering and prediction problems*. *Transactions of the ASME – Journal of Basic Engineering, Series D*, 82:35–45, 1960. [doi:10.1115/1.3662552](https://doi.org/10.1115/1.3662552)

E. Kalnay. *Atmospheric Modeling, Data Assimilation and Predictability*. Cambridge University Press, 2003. [doi:10.1017/CBO9780511802270](https://doi.org/10.1017/CBO9780511802270)

D. W. van der Kamp, R. D. Moore, and I. G. McKendry. *A model for simulating the moisture content of standardized fuel sticks of various sizes*. *Agricultural and Forest Meteorology*, 236:123–134, 2017. [doi:10.1016/j.agrformet.2017.01.013](https://doi.org/10.1016/j.agrformet.2017.01.013)

S. F. Schmidt. *Application of state-space methods to navigation problems*. volume 3 of *Advances in* [978-1-4831-6716-](https://doi.org/10.1016/j.aml.2016.09.001)

Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)

M. Vejmelka, A. K. Kochanski, and J. Mandel. *Data assimilation of dead fuel moisture observations from remote automatic weather stations*. *International Journal of Wildland Fire*, 25:558– 568, 2016. [doi:10.1071/WF14085](https://doi.org/10.1071/WF14085)

---

 1s completed at 12:38 AM



Automatic saving failed. This file was updated remotely or in another tab. [Show diff](#)